


# LCN-K3

## Terminal Block

**Description:**

The LCN-K3 is a three-pole terminal block that clips onto the DIN rail in distribution boxes.

**Field of applications:**

The LCN-K3 provides a connection for the LCN-PK in cases where the LCN-PK is not permanently mounted in the distribution box.

**Hardware equipment:**

Terminal block for the Din rail


Plug for connection of a LCN-PK PC coupler

# LCN-K3

## Terminal Block

### Measurements:

**Dimensions** (W x L x H): 17 mm x 75 mm x 52 mm



### Technical Data:

**Connection:**

Power supply: 230V~ ±15%, 50Hz  
 Wiring option: screwless,  
 Conductor type: max. 16A, massive or multi-phase (max.4mm<sup>2</sup>) or with insulated pin terminals (max.2,5mm<sup>2</sup>)

**Ports:**

T-Port: not available  
 I-Port: not available  
 P-Port: not available

**General Details:**

Operating temperature: -10°C to +40°C  
 Humidity: max. 80% rel., non condensing  
 Environmental conditions: stationary installation according to VDE 632, VDE 637  
 Safety classification: IP 20

**Space requirement:** 1TE

**Assembly:** Attached built-in device on 35 mm mounting rail (DIN 50022)

### Circuit Diagram

